

# STRATO-Titanlight® KENT



NON-SLIP




35%  
LIGHTER




10-YEAR  
GUARANTEE

## MEASUREMENTS


Width	70, 80
Length	100, 120, 140, 150, 160, 170, 180
Thickness	3.5 cm
<b>MATERIAL</b>	STRATO-Titanlight®
<b>TEXTURE</b>	Slate
<b>COLOURS</b>	White
<b>ACCESSORIES</b>	Ø60 T3 Mini valve Textured fibreglass grate
<b>OPTIONS</b>	Measurements upon request Colours upon request Custom grate colours Special measurements cut Special cut / Pillar cut Customised edges Machined for screen
<b>NON-SLIP CERTIFICATIONS</b>	UNE-EN 16165:2022 <b>C3</b> EN 16165:2021 <b>C3</b> DIN EN 16165:2023 <b>Class C</b> ANSI A326.3 <b>DCOF &gt; 0.55</b>
<b>GUARANTEE</b>	10 years



Cut Width / Length



Customised edges



Special cut



Pillar cut










**KENT TRAY** in white colour with slate texture. Detail photo.









**KENT TRAY** in cement colour with slate texture. Detail photo.







**FIBREGLASS GRATE**  
in the same texture as the tray.




SLATE




CERTIFICATION	DESCRIPTION	RESULTS
 <b>UNE-EN 16165:2022</b>	Determination of slip resistance	C3 (Rd = 49)
 <b>EN 16165:2021</b>	Determination of slip resistance	C3 (Rd = 49)
 <b>DIN EN 16165:2023</b>	Barefoot slip resistance	CLASS C (Incline = 25°)
 <b>ANSI A326.3</b>	Dynamic coefficient of friction	DCOF > 0.55






WHITE







BLACK



BEIGE



CEMENT




TORTORA







WENGE




SPECIAL COLOUR  
LIGHT PINK




SPECIAL COLOUR  
PETROL BLUE



SPECIAL COLOUR  
DENIM



SPECIAL COLOUR  
MINT



SPECIAL COLOUR  
HONEY YELLOW



RAL 2012



RAL 8024



RAL 6037






RAL 4005

**RAL CHART COLOURS**

213 COLOURS TO CHOOSE FROM





\* Connecting dimensions for drain hole according to standard **UNE EN 251:2004**  
Measurements in centimetres



SHOWER TRAYS

The price of the trays does not include the valve

WIDTH 70

MEASUREMENT	WEIGHT* (KG)	CODE
		SLATE WH.
100×70	26.81	909BL100070P
120×70	32.17	909BL120070P
140×70	37.53	909BL140070P
150×70	40.22	909BL150070P
160×70	42.90	909BL160070P
170×70	45.58	909BL170070P
180×70	48.26	909BL180070P


WIDTH 80

MEASUREMENT	WEIGHT* (KG)	CODE
		SLATE WH.
100×80	30.64	909BL100080P
120×80	36.77	909BL120080P
140×80	42.90	909BL140080P
150×80	45.96	909BL150080P
160×80	49.02	909BL160080P
170×80	52.09	909BL170080P
180×80	55.15	909BL180080P

WIDTH 90

UPON REQUEST

MEASUREMENT	WEIGHT* (KG)	CODE
		SLATE WH.
100×90	34.47	909BL100090P
120×90	41.36	909BL120090P
140×90	48.26	909BL140090P
150×90	51.71	909BL150090P
160×90	55.15	909BL160090P
170×90	58.60	909BL170090P
180×90	62.05	909BL180090P



**GRATE INCLUDED**  
FIBREGLASS IN THE SAME TEXTURE  
AS THE TRAY

ACCESSORIES (NOT INCLUDED)

T-3 MINI VALVE

	CODE
2 screws Ø60 mm	200119



**COLOURS  
UPON REQUEST**

**STANDARD**  
Black, beige, cement, tortora, wenge

**SPECIAL / RAL CHART**  
Mint, light pink, petrol blue, honey yellow, denim or colour of your choice from the RAL chart

**KENT GRATE**  
Replacement textured fibreglass grate.

**SPECIAL SIZES**  
In addition to the sizes available in stock or on request, customised orders can be made for any size by cutting an existing plate, respecting the safety distance from the valve.


**CUSTOMISED EDGES**  
Custom edges, 10 mm high × 50 mm wide, made from STRATO-Titanlight® in smooth texture.

**MACHINED FOR SCREEN**  
Customised grooving in the tray to fit a fixed screen.  
It is essential to enclose a technical drawing with the order, indicating whether the tray will be recessed in the wall.  
Specially prepared for the BathGlass shower screens from the Torvisco Group catalogue.

**SPECIAL CUT / PILLAR CUT**  
Personalise your tray to suit any bathroom.

**STRATO-TITANLIGHT® REPAIR KIT 100 ml.**  
Recommended for small repairs (scratches or chips).  
Includes bucket, roller, sandpaper and instructions for use.



**MACHINED FOR SCREEN****SPECIAL CUT****PILLAR CUT**